

L Number	Hits	Search Text	DB	Time stamp
2	124	queue\$3 near2 server\$1 and connect\$5 near2 server and (service\$1 near2 (provision\$3 provider\$1))	USPAT	2004/06/29 10:15
3	16	queue\$3 near2 server\$1 and connect\$5 near2 server and (service\$1 near2 (provision\$3 provider\$1)) near2 server\$1	USPAT	2004/06/29 10:11
7	7	"5867572"	USPAT	2004/06/29 10:27
8	103	wait\$3 near3 queue\$3 and (web online on-line) near2 (support help agent operator)	USPAT	2004/06/29 10:29
24	24	(software near2 meter\$3) and 709/\$3.ccls.	USPAT	2004/06/29 10:49
25	2	(software near2 meter\$3) and wait\$3 near2 queue	USPAT	2004/06/29 10:50
26	14	(software near2 meter\$3) and queue	USPAT	2004/06/29 10:52
33	36	705/\$3.ccls. and queue\$3 adj1 system	USPAT	2004/06/29 11:38
34	15	(real?time real adj1 time) near6 updat\$3 with inventory and (online on-line web)	USPAT	2004/06/29 11:39
35	15	(real?time real adj1 time dynamic) near6 updat\$3 with inventory and (online on-line web)	USPAT	2004/06/29 11:40
52	62	(on-line online) near6 (sell\$3 sales) near4 system	USPAT	2004/06/29 13:53
54	50	(on-line online) near6 (sell\$3 sales) near4 system and (705/\$3.ccls. 709/\$3.ccls.)	USPAT	2004/06/29 14:03
-	164	server with (number near2 connect\$4 with client\$1)	USPAT	2004/06/23 15:40
-	101	server with (number near2 connect\$4 with client\$1) and 709/\$3.ccls.	USPAT	2004/06/24 16:12
-	12	server\$1 near8 (maximum near6 connection\$1) and client\$1 and (limit\$4 near8 (access ((number near3 connection\$1) near8 server\$1)))	USPAT	2004/06/23 15:55
-	5	client\$1 and (display\$4 near8 ((number near3 connection\$1) near8 server\$1))	USPAT	2004/06/23 16:05
-	17	client\$1 and ((display\$4 monitor\$3) near8 ((number near6 connection\$1) near8 server\$1))	USPAT	2004/06/23 16:09
-	213	client\$1 with ((display\$4) near8 ((number near6 connection\$1) information statistics) near6 server\$1) and 709/\$3.ccls.	USPAT	2004/06/23 16:11
-	67	client\$1 with ((display\$4) near8 ((number near6 connection\$1) information statistics) near6 server\$1) and (limit\$4 near8 (access ((number near3 connection\$1) near8 server\$1)))	USPAT	2004/06/23 16:12
-	5	client\$1 near8 (display\$4 near8 ((number near6 connection\$1) statistics) near6 server\$1)	USPAT	2004/06/23 16:14
-	29	client\$1 with (display\$4 near8 ((number near6 connection\$1) information statistics) near6 server\$1) and server\$1 near8 (number near6 connection\$1)	USPAT	2004/06/23 16:19
-	3	client\$1 near3 (see access\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1) and server\$1 near8 (number near6 connection\$1)	USPAT	2004/06/24 09:24
-	28	client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1)	USPAT	2004/06/24 09:46
-	90	(monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1)	USPAT	2004/06/24 09:46
-	62	(monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 09:47

-	39	(display\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 10:00
-	115	(display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 10:10
-	38	client\$1 same (display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1)	USPAT	2004/06/24 09:57
-	58	(client\$1 user\$1) same (display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1)	USPAT	2004/06/24 10:06
-	3	(display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1) with connection\$1 not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 09:59
-	3	(display\$3) near6 ((number near6 (connection\$1 session\$1)) near6 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 10:06
-	85	(user\$3) near6 ((number near6 (connection\$1 session\$1)) near6 server\$1) not (client\$1 same (monitor\$3 updat\$3) near6 (((number near6 connection\$1) statistics) near6 server\$1))	USPAT	2004/06/24 10:13
-	11	(client\$1 user\$1) same (display\$3 monitor\$3 updat\$3) near6 ((number near3 (connection\$1 session\$1)) near4 server\$1)	USPAT	2004/06/24 10:08
-	58	(client\$1 user\$1) same (display\$3 monitor\$3 updat\$3) near6 (usage near4 server\$1)	USPAT	2004/06/24 10:08
-	41	((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3)	USPAT	2004/06/24 10:24
-	13	(client\$1 user\$1) near4 (line queue) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3)	USPAT	2004/06/24 10:23
-	7	((client\$1 user\$1) near4 (line queue) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3)) not ((client\$1 user\$1) near4 (line queue) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3))	USPAT	2004/06/24 10:23
-	3	((client\$1 user\$1) near4 (wait\$3) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3)) not ((client\$1 user\$1) near4 (wait\$3) and ((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3))	USPAT	2004/06/24 10:23
-	14	((number near6 (connection\$1 session\$1)) near6 server\$1) and (server near3 overload\$3) and (single adj1 server)	USPAT	2004/06/24 10:26
-	4	(server near3 overload\$3) and (single adj1 server adj1 (architecture system))	USPAT	2004/06/24 10:26
-	5	server near3 (number near8 connection\$1) and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)	USPAT	2004/06/24 10:51
-	69	server near3 (connection\$1) and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)	USPAT	2004/06/24 10:54
-	2	server near3 (limit\$3 with connection\$1) and @py<=1996 and (client\$1 user\$1) near3 (wait\$3 queue)	USPAT	2004/06/24 10:55
-	4	server near3 (availab\$5) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1996	USPAT	2004/06/24 10:57

-	17	server near3 (availab\$5) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1998	USPAT	2004/06/24 10:57
-	13	server near3 (availab\$5) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1998 not (server near3 (availab\$5) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1996)	USPAT	2004/06/24 13:19
-	5	"5828879"	USPAT	2004/06/24 12:52
-	34	notif\$4 with client\$1 with (server\$1 near6 availab\$5)	USPAT	2004/06/24 12:56
-	11	notif\$4 with client\$1 with (server\$1 near6 availab\$5) and voice	USPAT	2004/06/24 12:54
-	36	voice near3 notif\$4 and (server\$1 near6 availab\$5)	USPAT	2004/06/24 13:03
-	52	(modem user\$1 client\$1) with (redial\$3 retr\$3) and (server\$1) near8 (busy overload\$3)	USPAT	2004/06/24 13:10
-	49	(modem user\$1 client\$1) with (redial\$3 retr\$3) and (server\$1) near8 (busy overload\$3) and (connection\$1)	USPAT	2004/06/24 13:14
-	56	updat\$3 near3 status near3 server\$1 same client\$1	USPAT	2004/06/24 13:17
-	5	updat\$3 near3 status near3 server\$1 with (overload\$3 availab\$5) same client\$1	USPAT	2004/06/24 13:17
-	3	server near3 (availab\$5 overload\$3 over-load\$3) same (notify\$3 display\$4) same (client\$1 user\$1) near3 (wait\$3 queue) and @py<=1998	USPAT	2004/06/24 13:21
-	2	server near3 (number near2 connection\$1) same (notify\$3 display\$4) same (client\$1 user\$1) and @py<=1998	USPAT	2004/06/24 13:25
-	0	server near3 (number near8 connect\$4) same (modem\$1) with (retr\$4 redial\$3) and @py<=1998	USPAT	2004/06/24 13:27
-	4	server near3 (number near8 connect\$4) same (client\$1 user\$1) with (retr\$4 redial\$3) and @py<=1998	USPAT	2004/06/24 13:28
-	7	server near3 (busy overload\$3 full) same (client\$1 user\$1) with (retr\$4 redial\$3) and @py<=1998	USPAT	2004/06/24 13:28
-	26	notification near4 server near4 available	USPAT	2004/06/24 15:42
-	9	server with (number near2 connect\$4) and (client\$1 near4 (queue\$4 line)) with (wait\$3)	USPAT	2004/06/24 16:13
-	18	server\$1 and (number near2 connect\$4) and (client\$1 near4 (queue\$4 line)) with (wait\$3)	USPAT	2004/06/24 16:43
-	25	server\$1 same client\$1 same service\$1 and ((client\$1 user\$1) near2 ahead) and (queue line wait\$3)	USPAT	2004/06/24 17:08
-	6	server\$1 with client\$1 near5 wait\$3 near4 connect\$4 and (next near7 (queue line))	USPAT	2004/06/25 08:10
-	53	server\$1 with client\$1 near5 queue same (connect\$5)	USPAT	2004/06/25 08:10
-	13	server\$1 near3 (busy overload\$2 connection\$1) and client with wait\$1 adj3 queue	USPAT	2004/06/28 10:09
-	26	server\$1 near3 (busy overload\$2 connection\$1) and client\$1 with (wait\$3 suspend) with queue not (server\$1 near3 (busy overload\$2 connection\$1) and client\$1 with (wait\$3 suspend) adj3 queue)	USPAT	2004/06/25 09:11
-	9	((technical near2 support)) and client\$1 with (wait\$3 suspend) with queue	USPAT	2004/06/25 09:13
-	49	client\$1 with (wait\$3 suspend) with queue and 709/\$3.ccls.	USPAT	2004/06/25 09:14
-	33	busy with (client\$1 user\$1) with (wait\$3)and 709/\$3.ccls.	USPAT	2004/06/25 09:16
-	67	(customer near2 (support)) and (client\$1 user\$1) with (wait\$3)and 709/\$3.ccls.	USPAT	2004/06/25 09:17
-	67	(customer near2 (support)) and (client\$1 user\$1) with (wait\$3)and 709/\$3.ccls.	USPAT	2004/06/25 09:18

-	97	(agent\$1 near5 busy) and (client\$1 user\$1 customer\$1) with (queue)	USPAT	2004/06/25 09:48
-	74	(agent\$1 near5 busy) and (client\$1 user\$1 customer\$1) with (queue) and server\$1	USPAT	2004/06/25 09:49
-	19	"6230287"	USPAT	2004/06/25 10:07
-	8	"6230287" and queue	USPAT	2004/06/25 10:07
-	35	queu\$3 near2 server\$1 same connect\$5 near2 server same service\$1	USPAT	2004/06/29 10:05
-	26	server\$1 near3 (busy overload\$2 connection\$1) and wait\$1 adj3 queue same client\$1	USPAT	2004/06/28 10:30
-	1	server\$1 and wait\$3 adj3 queue and (goods with stock)	USPAT	2004/06/28 10:44
-	48	(online on?line web internet commerce website web?site) near4 queu\$3 near5 (system line)	USPAT	2004/06/28 10:49
-	90	"4788715" and network\$1	USPAT	2004/06/28 12:37
-	7	(email e-mail) near2 (notification notify notifies notifying) same (server near8 availab\$5)	USPAT	2004/06/28 13:46
-	12	(notification notify notifies notifying) near4 method same (server near8 availab\$5)	USPAT	2004/06/29 11:52
-	6	(email e-mail) near2 (notification notify notifies notifying) near4 method and (server near5 (available availability))	USPAT	2004/06/28 13:51
-	1	(email e-mail) near2 (notification notify notifies notifying) same (client\$1 with connect\$4 with server\$1)	USPAT	2004/06/28 13:56
-	15	(email e-mail) near8 (notification notify notifies notifying) same (server near8 (available availability))	USPAT	2004/06/28 14:03
-	41	(email e-mail) near8 (notification notify notifies notifying) with (client\$1 customer\$1) and (server near8 (available availability)) and 709/\$3.ccls.	USPAT	2004/06/28 14:10
-	0	(password authentication) with override and (immediate\$2 near3 access\$5 near8 server\$1)	USPAT	2004/06/28 14:40
-	42	(password authentication) and (immediate\$2 near3 access\$5 near8 server\$1)	USPAT	2004/06/28 14:42
-	4	(notify\$3 notifi\$2) near8 (out near2 stock)	USPAT	2004/06/28 16:36
-	1	(notify\$3 notifi\$2) same (out near2 stock) and queue	USPAT	2004/06/29 10:04